Refine Search

Search Results -

Terms	Documents
L14 and 340/$.ccls.	83

Database:

US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Search:

L15

Refine Search

Recall Text ⬍   Clear   Interrupt

Search History

DATE: Tuesday, April 27, 2004   Printable Copy   Create Case

Set Name side by side	Query	Hit Count	Set Name result set
DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR			
L15	L14 and 340/$.ccls.	83	L15
L14	L13 and conditions	310	L14
L13	L12 and computer	365	L13
L12	L11 and program$4	474	L12
L11	L10 and sensor	533	L11
L10	L9 and processor	778	L10
L9	(light adj emitting adj diodes) and (receiv$3 adj signals) and ((transmit$4 or communicat$3) adj signals) and indicator and LED	1411	L9
L8	L7 and (package or container)	40	L8
L7	L6 and (light adj emitting adj diodes)	43	L7
L6	L1 and item	71	L6
L5	L4 and (control adj signals)	72	L5
L4	L3 and program$4	100	L4

L3	L2 and sensor and information	107	L3
L2	L1 and heat	119	L2
L1	(environmental adj conditions) and (receiv$3 adj signals) and ((transmit$4 or communicat$3) adj signals) and indicator and LED	212	L1

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms	Documents
L5 and container and package and indicator	8

Database:
US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Search: L6

[Refine Search]

[Recall Text] [Clear] [Interrupt]

Search History

DATE: **Tuesday, April 27, 2004**   Printable Copy   Create Case

Set Name side by side	Query	Hit Count	Set Name result set
DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR			
L6	L5 and container and package and indicator	8	L6
L5	L4 and (environmental adj conditions)	39	L5
L4	L3 and convert$3 and communicat$3	470	L4
L3	L2 and program$4	569	L3
L2	L1 and (receiv$3 adj signals)	669	L2
L1	(information adj signal) and (illumination adj control signal) and processor and controller and LED	1302	L1

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms	Documents
(package adj indicator) and shipping and information	18

Database:
US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Search:
L10

[Refine Search]

[Recall Text ⬍]   [Clear]   [Interrupt]

Search History

DATE: Tuesday, April 27, 2004   Printable Copy   Create Case

Set Name side by side	Query	Hit Count	Set Name result set
\multicolumn	*DB=PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD; PLUR=YES; OP=OR*		
L10	(package adj indicator) and shipping and information	18	L10
L9	(package adj indicator) and (shipping adj information)	4	L9
L8	indicat$3 and package and (light adj emitting adj diodes) and (processor or controller) and (forces or conditions) and (shipping adj information)	16	L8
L7	(visual adj indicator) and package and (light adj emitting adj diodes) and (processor or controller) and (forces adj conditions) and (shipping adj information)	4	L7
L6	(visual adj indicator) and package and (light adj emitting adj diodes) and (processor or controller) and (environment$2 adj conditions)	25	L6
L5	L4 and LED	44	L5
L4	L3 and sensor	45	L4
L3	L2 and receiv$3 and transmit$4	67	L3
L2	L1 and (intelligent or smart)	72	L2

Refine Search

Search Results -

Terms	Documents
illumination and indicator and (light adj emitting adj diodes) and PWM and item	44

Database:

US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Search:

L2

[Refine Search]

[Recall Text] [Clear] [Interrupt]

Search History

DATE: Wednesday, April 28, 2004 	Printable Copy 	Create Case

Set Name side by side	Query	Hit Count	Set Name result set
DB=USPT; PLUR=YES; OP=OR			
L2	illumination and indicator and (light adj emitting adj diodes) and PWM and item	44	L2
L1	(illumination adj system) and indicator and (light adj emitting adj diodes) and PWM	14	L1

END OF SEARCH HISTORY